

Docket No: YHK-0112

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Confirmation No.: 7858

Joong Seo PARK

Group Art Unit: 2821

Serial No.: 10/743,284

Examiner: Minh D. A

Filed: 12/23/2003

Customer No.: 34610

For: ENERGY RECOVERING APPARATUS AND METHOD FOR PLASMA
DISPLAY PANEL

RESPONSE TO NOTICE OF NON-COMPLIANT AMENDMENT

U.S. Patent and Trademark Office
Customer Service Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Sir:


The Notice of Non-Compliant Amendment appears to state that claim 17 as amended in the response filed July 20, 2006 does not have a proper status identifier. However, claim 17 was amended in the response to add "to" and therefore its proper status identifier is "Currently Amended." In the response filed July 20, 2006, claim 17 has a proper status identifier of "(Currently Amended)." Therefore, the Amendment as filed is a properly filed Amendment. Applicant respectfully submits that the Notice of Non-Compliant Amendment is incorrect.

In view of the above and 37 C.F.R. §1.121(h), the Amendments to the Claims section is attached in its entirety at the end of this reply. This section is identical to the previously-filed Amendment to the Claims section.

Should the Examiner have any questions regarding the above-identified application, the Examiner is invited to contact the undersigned attorney at the telephone number listed below.

Please charge any shortage in fees due in connection with the filing of this, concurrent and future replies, including extension of time fees, to Deposit Account 16-0607 and please credit any excess fees to such deposit account.

Respectfully submitted,
FLESHNER & KIM, LLP



David C. Oren
Registration No. 38,694

Attachment: Amendments to the Claims

P.O. Box 221200
Chantilly, Virginia 20153-1200
703 766-3701 DCO/kah

Date: August 3, 2006